


# SELENIUM IN CASCO BAY, 1991-2011



# SELENIUM IN CASCO BAY, 1991-2011


2000-2011

**Legend**

- Sample Locations
- ▭ Bay Subdivisions

**Selenium ( $\mu\text{g/g dry}$ )**

Blue	< 0.27
Light Blue	0.27 - 0.41
Light Green	0.42 - 0.54
Light Yellow-Green	0.55 - 0.69
Yellow	0.7 - 0.86
Light Orange	0.87 - 1.05
Orange	1.06 - 1.21
Dark Orange	1.22 - 1.35
Red-Orange	1.36 - 1.62
Red	> 1.62



# SELENIUM IN CASCO BAY, 1991-2011


2010-2011

**Legend**


- Sample Locations
- Bay Subdivisions

**Selenium ( $\mu\text{g/g dry}$ )**


Blue	< 0.27
Light Blue	0.27 - 0.41
Light Green	0.42 - 0.54
Green	0.55 - 0.69
Yellow-Green	0.7 - 0.86
Yellow	0.87 - 1.05
Orange	1.06 - 1.21
Dark Orange	1.22 - 1.35
Red-Orange	1.36 - 1.62
Red	> 1.62




# TOTAL PAHS IN CASCO BAY, 1991-2011



# TOTAL PAHS IN CASCO BAY, 1991-2011




# TOTAL PAHS IN CASCO BAY, 1991-2011



# FOSSIL FUEL COMBUSTION SOURCES IN MAINE

Energy-Related Carbon Dioxide Emissions in Maine  
(2000-2013)



Source: USEIA 2015