

Casco Bay Watershed Fish Barrier Priorities Atlas

March 2012

Background

This atlas was created to help guide restoration of streams affected by road-stream crossings and dams acting as barriers to fish passage in the Casco Bay watershed as part of a project coordinated by the Casco Bay Estuary Partnership (CBEP) and U.S. Fish and Wildlife Service Gulf of Maine Coastal Program (USFWS-GOMCP). The 42 individual town maps of the atlas contain crossings, dams and a small number of natural barriers identified during field surveys¹ of perennial streams in 2009 and 2010, and mapped using a geographic information system (GIS). Sites have been classified by the degree of restriction they represent for fish passage, and additional related data such as high priority stream habitat and flood hazards are shown in the maps to help identify priority sites. Data have been compiled into a database for use in analysis and mapping.

Although habitat needs for fish are best understood at the scale of whole streams, which bear little relationship to town boundaries, this atlas was created primarily for use by municipal public works employees and other staff and representatives focusing on local road systems. Therefore, each map page represents a town or city, and is shown at a scale suitable to include the entire community on one page. An index map shows the location of each town within the watershed, and a legend page provides explanation of symbols used on individual maps. Barriers from outside the Casco Bay watershed are shown where data are available, but masked to focus on the towns and portion of towns which are within the watershed.

Fish Barriers

Road-stream crossings are shown with SiteID numbers to help identify them in the barrier database. Dams, in most cases, have labels both of SiteID and the dam's common name, if one is known. *Severe* barriers are defined as those road/stream crossings where fundamental physical barriers exist at either the inlet or outlet of the crossing, including inlets or outlets "perched" above the stream channel, and inlets blocked at least 50%, usually by debris. *Potential* barriers cover a wide spectrum of road-stream crossing situations where fish passage problems are likely to exist at some flows for some species or age groups of fish, and passage of other aquatic organisms such as amphibians and macroinvertebrates is likely also limited. Sites that were inaccessible to survey crews, and therefore not surveyed, are shown as unsurveyed, but are included in our analysis as *Potential* barriers. Dams are classified by whether or not they have effective facilities in place to provide upstream fish passage. Natural barriers, including waterfalls, debris jams (including woody debris or rock and fine sediments), and beaver dams were assessed when in close proximity to surveyed crossings and dams, and are mapped as well.

Priority Streams

USFWS-GOMCP and CBEP staff consulted with state fisheries biologists to identify streams with important fish habitat, primarily for brook trout or Atlantic salmon, or both. These *priority streams* are highlighted on the maps. The scope of the road/stream crossing barrier assessment was limited to perennial streams, those with continuous flow year round. Although intermittent streams were not surveyed, fish using priority streams also rely on connectivity with intermittent tributaries at various times of year. There are likely to be additional barriers on important intermittent streams that have not been assessed.

Flood Hazards

The maps present data from Cumberland County Emergency Management Agency (CCEMA) and CBEP to show where flood hazards are likely to overlap with fish barriers. CCEMA, in cooperation with towns, has identified many road crossings as flood hazards based on past flood events. CCEMA sites are marked by purple circles, and do not always coincide with barrier survey sites because they may be located on intermittent streams or larger rivers crossed by bridges, which are generally passable for fish but may still entail flood hazards.

¹ Field surveys were conducted based on protocols from the *Maine Road-Stream Crossing Survey Manual* (http://www.maine.gov/doc/mfs/fpm/water/docs/stream_crossing_2008/MaineRoad-StreamCrossingSurveyManual2008.pdf).

Where these sites do coincide with barriers, the combination of flood hazard with fish passage problems should place them high on any town's priority list for replacement.

A second set of flood hazard sites was derived from the barrier survey data by CBEP Director Curtis Bohlen. In CBEP's analysis, the capacity of each crossing was compared to the expected flows for that specific crossing during a 25-year flood event. Where sufficient crossing data exists, flows were calculated based on the relationship between drainage area above the crossing, and the proportion of the drainage area occupied by National Wetland Inventory-defined wetlands. CBEP flood hazard sites are shown as red circles, and represent all crossing sites where the capacity of the crossing was less than 50% of the expected 25-year flood value. This is meant as a general indication of flood risk, but may be incorrect in some locations based on site-specific factors. As with CCEMA sites above, where these sites coincide with barrier sites, the combination of flood hazard with fish passage problems should place them high on any town's priority list for review and possible replacement.

Other Data

Land use and wetland data are mapped to provide helpful landscape information, with upland forested areas distinguished from wetland, open, or developed areas. Public and private roads and railroads are included, as are all streams in the watershed, both perennial and intermittent. Relief shading is provided to help make reading the topography of the maps somewhat more intuitive. Tidal crossings, due to the increased complexity involved with crossing designs for two-way flow and maintenance of coastal wetlands, are denoted separately on the maps. Any town or other entity with plans to replace culverts at tidal crossings is invited to contact CBEP to explore partnership and grant funding opportunities. Town-based data summary tables for all barrier sites classified as *Severe* or *Potential* on high priority streams are provided following the maps. Each town has a two-page summary of key attributes from the database to provide information on location, dimensions and site conditions.

Data Sources

The data used to create this atlas came from a variety of sources. CBEP and USFWS-GOMC funded field surveys, with significant volunteer assistance from Trout Unlimited. Many resources were supplied by USFWS-GOMCP, including software, hardware, and data. Most barrier data was developed by USFWS-GOMCP from field survey data, though some was provided by the Kennebec Estuary Land Trust, which conducted surveys in the easternmost portion of the watershed. Flood hazard data is from either CCEMA, or from Curtis Bohlen's CBEP flood hazard analysis. Priority streams data was developed by USFWS-GOMCP, MDIFW, and the Maine Department of Marine Resources based on survey data of fish occurrences and habitat surveys. Basemap data, including relief shading, roads, town boundaries and most watershed polygons were supplied by the Maine Office of Geographic Information Systems. The roads data mapped is primarily from the Maine Department of Environmental Protection. Hydrography data came from high resolution National Hydrography Dataset (NHD).

Disclaimer


Please be aware that the data contained in the maps and tables of this atlas may contain errors, and represents the best information available at the time of publication. Note that crossing surveys were conducted in 2009 and 2010, and some sites surveyed may have undergone important changes based on flood events, maintenance or even entire replacement of a crossing. Likewise, flood hazard sites identified by CCEMA may have been modified based on previously planned work to lessen flooding problems.

For more information, please contact:

Alex Abbott c/o Gulf of Maine Coastal Program U.S. Fish and Wildlife Service 4R Fundy Rd. Falmouth, ME 04105 Telephone: 207-781-8364, ext. 21 Electronic Mail: <u>alexoabbott@hotmail.com</u> Matt Craig Casco Bay Estuary Partnership PO Box 9300, 34 Bedford Street Portland, ME 04104-9300 Telephone: 207.228.8359 Electronic Mail: <u>mcraig@usm.maine.edu</u> Website: <u>www.cascobayestuary.org</u>

Casco Bay Barriers by Town

Index Map



Casco Bay Barriers by Town

Bay watershed are masked to obscure them.

Scale Varies by Town See scale bar at bottom of each map

Legend

Fel Wein

(Dan

North

Dundee

813

Dundee

Pond Dan 0372

8794

(T 87

Gai

alls Dam

Gorhan 8369 Dam



Map Created 2/20/2012

202

8198

9428 8298

8954

0.5 1 2 3 0 Miles

Rd

Unnamed Little River

Trib Dan

3952

Casco Bay Barriers by Town

North Yarmouth



Severe and High Priority Potential Barriers by Town

Site ID	Town	Habitat Priority	Basic Structure Type	Barrier Class	Survey Date	Road Name	Road Type & Class	Stream	UTM East	UTM North	Stream Type	Number Of Culverts	Material	Condition
8688	North Yarmouth	High	Culvert	Severe	7/28/2009	Main St	State / Paved	Unnamed	399671	4851913	Perennial	1	Plastic	
8417	North Yarmouth	High	Culvert	Potential	8/13/2009	Memorial Highway	Town / Paved	Toddy Brook	400829	4855188	Perennial	1	Metal	
8675	North Yarmouth	High	Culvert	Potential	8/14/2009	Memorial Highway	State / Paved	Unnamed	399597	4853763	Perennial	1	Concrete	
8467	North Yarmouth	High	Multiple Culverts	Severe	8/7/2009	Mill Rd	Town / Paved	Unknown	398117	4857487	Perennial	2	Plastic	
8081	North Yarmouth		Culvert	Severe	8/5/2009	Milliken Road	Town / Paved	Unknown	400443	4858786	Perennial	1	Concrete	
8300	North Yarmouth	High	Multiple Culverts	Potential	8/28/2009	Mountfort Rd	Unknown / Paved	Pratts Brook	403353	4856778	Perennial	3	Metal	
8301	North Yarmouth	High	Culvert	Severe	8/28/2009	Mountfort Rd	Unknown / Paved	Unnamed	403951	4855977	Perennial	1	Metal	
8348	North Yarmouth		Multiple Culverts	Severe	8/7/2009	Route 115	State / Paved	Deer Brook	397745	4856028	Perennial	3	Metal	
8476	North Yarmouth		Culvert	Severe	8/5/2009	Route 231	State / Paved	Unknown	399842	4859096	Perennial	1	Metal	
8420	North Yarmouth	High	Culvert	Severe	8/5/2009	Route 9	State / Paved	Unknown	402864	4858349	Perennial	1	Concrete	
8422	North Yarmouth	High	Culvert	Potential	8/7/2009	Royal Road	Town / Paved	Pratts Brook	403976	4857298	Perennial	1	Metal	
8093	North Yarmouth	High	Culvert	Potential	8/13/2009	Sligo Rd	Town / Paved	Toddy Brook	400817	4855187	Perennial	1	Metal	
8419	North Yarmouth	High	Culvert	Potential	8/13/2009	Sligo Rd	Town / Paved	Unnamed	402162	4853619	Perennial	1	Metal	
8972	North Yarmouth	High	Culvert	Potential	8/13/2009	Sligo Rd	Town / Paved	Unnamed	401815	4854435	Perennial	1	Metal	
8418	North Yarmouth	High	Multiple Culverts	Potential	8/13/2009	Sligo Road	Town / Paved	Toddy Brook	401139	4854953	Perennial	2	Metal	
8670	North Yarmouth	High	Culvert	Potential	8/13/2009	Sweetser Rd	Town / Unpaved	Toddy Brook	400301	4854098	Perennial	1	Metal	
8871	North Yarmouth	High	Multiple Culverts	Severe	8/13/2009	Sweetser Rd	Town / Paved	Unnamed	400633	4853673	Perennial	2	Metal	
8466	North Yarmouth	High	Culvert	Severe	8/14/2009	Walnut Hill Road	Private / Paved	Unnamed	399901	4852663	Perennial	1	Metal	
8087	North Yarmouth	High	Multiple Culverts	Severe	8/11/2009	Westcustogo Ln	Town / Paved	Unknown	400425	4856771	Perennial	2	Metal	
9254	North Yarmouth	High	Culvert	Severe	8/14/2009		Private / Trail	Toddy Brook	400041	4853699	Perennial	1	Stone	
9341	North Yarmouth	High	Culvert	Potential	8/13/2009		Railroad	Toddy Brook	401527	4855341	Perennial	1	Concrete	
9337	North Yarmouth	High	Culvert	Potential	8/7/2009		Railroad	Unknown	397951	4858095	Perennial	1	Stone	
9357	North Yarmouth	High	Culvert	Severe	8/10/2009		Railroad	Unknown	400008	4857064	Perennial	1	Concrete	
9359	North Yarmouth	High	Culvert	Severe	8/11/2009		Railroad	Unknown	400512	4856886	Perennial	1	Concrete	
NBCasco3	North Yarmouth	High	Beaver Dam	Severe	9/3/2010		NA	Unknown	403341	4856760	Perennial			
9343	North Yarmouth	High	Culvert	Potential	8/13/2009		Railroad	Unnamed	401800	4852563	Perennial	1	Concrete	

Severe and High Priority Potential Barriers by Town

	Specific			Primary Inlet	Crossing Structure		Outlet		Fill	Estimated	Upstream Miles	Up-	Total	Down-		Hydraulic
	Structure	Inlet	Inlet	Span	Length	Outlet	Drop	Crossing	Height	Stream	to Next	Stream	Upstream	stream		Height
Site ID	Type	Condition	Blocked	FT	FT	Condition	FT	Substrate	FT	Width FT	Barriers	Barriers	Miles	Barriers	Dam Name	FT
8688	Round Culvert	At Grade	No	4.2	131.2	Perched	0.2	None		7.1	0.212	0	0.212	3	Daini Naine	
8417	Round Culvert	At Grade	No	4.2	59.1	At Grade	0.2	None		3.6	0.212	1	0.212	3		
8675	Round Culvert	At Grade	No	2.9	124.0	At Grade		None		3.5	0.126	0	0.126	6		
8467	Round Culvert	At Grade	No	2.5	59.1	Perched	4.0	None		2.4	1.010	0	1.010	2		
8081	Round Culvert	At Grade	No	2.0	48.6	Perched	1.6	None		10.2	0.528	1	0.626	2		
8300	Pipe Arch Culvert	At Grade	No	7.0	40.0	At Grade	1.0	Contrasting		4.7	1.307	1	1.813	2		
8301	Round Culvert	At Grade	No	5.1	58.4	Perched	0.7	None		10.6	0.519	0	0.519	1		
8348	Round Culvert	At Grade	75%	4.0	83.7	Perched	0.2	Contrasting		6.0	1.703	0	1.703	2		
8476	Round Culvert	At Grade	No	1.6	40.0	Perched	0.8	None		7.9	0.098	0	0.098	3		
8420	Round Culvert	At Grade	No	3.9	98.4	Perched/Cascade	0.3	None		6.7	0.487	0	0.487	2		
8422	Pipe Arch Culvert	At Grade	No	9.2	67.9	At Grade		None		10.1	0.253	0	0.253	0		
8093	Round Culvert	At Grade	No	4.0	43.6	At Grade		None		8.7	0.528	0	0.528	4		
8419	Round Culvert	At Grade	No	3.0	41.0	At Grade		None		2.4	0.107	0	0.107	2		
8972	Round Culvert	At Grade	No	5.1	41.0	At Grade		None		7.0	1.133	2	2.131	2		
8418	Round Culvert	At Grade	No	3.0	40.2	At Grade		None		17.3	1.185	3	1.944	3		
8670	Round Culvert	At Grade	No	3.9	54.1	At Grade		None		12.1	0.340	2	0.759	4		
8871	Round Culvert	At Grade	No	3.0	60.7	Perched/Cascade	0.3	None		8.5	0.871	1	0.998	3		
8466	Round Culvert	At Grade	No	1.6	42.0	Perched	0.1	None		4.4	0.127	0	0.127	4		
8087	Round Culvert	At Grade	No	3.0	42.0	Perched	0.6	None		6.6	1.884	0	1.884	3		
9254	Box Culvert	Inlet Drop	No	3.9	63.0	Perched	0.9	Comparable		3.9	0.293	1	0.419	5		
9341	Box Culvert	At Grade	25%	6.0	89.6	At Grade		None		5.8	0.804	6	3.282	2		
9337	Box Culvert	At Grade	No	4.8	107.3	At Grade		Comparable		1.8	0.560	1	1.032	2		
9357	Box Culvert	At Grade	No	4.1	55.1	Perched	1.0	None		5.5	0.573	0	0.573	2		
9359	Box Culvert	At Grade	50%	3.9	86.0	Cascade		None		7.8	0.098	1	1.982	2		
NBCasco3										3.3	0.011	2	1.825	1		
9343	Round Culvert	At Grade	25%	2.9	44.9	At Grade		None		3.3	0.637	0	0.637	3		